

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) An antenna, comprising:
a planar element that is fed at a feed position; and
a ground pattern that is juxtaposed with said planar element, and
wherein ~~as being farther away from a straight line passing through said feed position,~~ a distance between said planar element and said ground pattern is gradually increased so that the increase of said distance to become becomes saturated as being farther away from a straight line passing through said feed position,
said antenna further comprises a resonant element connected to an end point of said planar element on said straight line passing through said feed position of said planar element,
said planar element and said resonant element are symmetrical with respect to said straight line passing through said feed position of said planar element, and
said planar element and said resonant element are formed on or inside a dielectric substrate.
2. (Currently Amended) The antenna as set forth in claim 1, wherein a side edge portion of said planar element is constituted by either one of a curved line and a plurality of line segments, which are connected while their inclinations are changed stepwise, ~~and said planar element is formed on or inside a dielectric substrate.~~
- 3-5. (Canceled)
6. (Currently Amended) The antenna as set forth in claim ~~3~~ 1, wherein said planar element and said resonant element is formed in a same layer of said dielectric substrate.

7. (Currently Amended) The antenna as set forth in claim-3 1, wherein said planar element and at least a part of said resonant element is formed in different layers.

8. (Currently Amended) The antenna as set forth in claim-3 1, wherein when said planar element and said resonant element are projected on a virtual plane parallel to layers in which the respective elements are formed, said resonant element is disposed without overlapping with a predetermined region defined beside said planar element projected on said virtual plane.

9. (Currently Amended) The antenna as set forth in claim-3 1, wherein when said planar element and said resonant element are projected on a virtual plane parallel to layers in which the respective elements are formed, said resonant element is disposed without overlapping with at least a region at a planar element side with respect to a half line, which is parallel to said straight line passing through said feed position of the projected planar element and extends in a feed position direction from a start point that is an end point of said side edge portion of the projected planar element and is a point remoter from said feed position.

10. (Currently Amended) A dielectric substrate for an antenna, comprising:
a dielectric layer; and
a layer including a conductive planar element having a side edge portion constituted by either one of a curved line and line segments, which are connected while their inclinations are changed stepwise, and

wherein a distance between a side surface closest to a feed position of said planar element among side surfaces of said dielectric substrate and said side edge portion is gradually increased so that the increase of said distance to become becomes saturated as being farther away from a straight line passing through said feed position,

said dielectric substrate further comprises a resonant element connected to an end point of said planar element on said straight line passing through said feed position of said planar element, and

said resonant element is symmetrical with respect to said straight line passing through said feed position of said planar element.

11-13. (Canceled)

14. (Currently Amended) The dielectric substrate as set forth in claim-~~11~~ 10, wherein said planar element and said resonant element ~~is~~are formed in a same layer of said dielectric substrate.

15. (Currently Amended) The dielectric substrate as set forth in claim-~~11~~ 10, wherein said planar element and at least a part of said resonant element ~~may be~~are formed in different layers of said dielectric substrate.

16. (Currently Amended) The dielectric substrate as set forth in claim-~~11~~ 10, wherein when said planar element and said resonant element are projected on a virtual plane parallel to layers in which the respective elements are formed, said resonant element is disposed without overlapping with a predetermined region defined beside said planar element projected on said virtual plane.

17. (Currently Amended) The dielectric substrate as set forth in claim-~~11~~ 10, wherein when said planar element and said resonant element are projected on a virtual plane parallel to layers in which the respective elements are formed, said resonant element is disposed without overlapping with at least a region at a planar element side with respect to a half line, which is parallel to said straight line passing through said feed position of the projected planar element and extends in a feed position direction from a start point that is an end point of said side edge portion of the projected planar element and is a point remoter from said feed position.

18. (Currently Amended) An antenna comprising:

a planar element that is fed at a feed position;

a ground pattern that is juxtaposed with said planar element;

and

a second element that is connected with said planar element,

wherein said second element is connected with a first edge part of said planar element, said first edge part being opposite to a second edge part of said planar element, said second edge part being adjacent to said ground pattern, and

said planar element and said second element are symmetrical with respect to said straight line passing through said feed position of said planar element.

19. (Canceled)